# 15a A&P: Skeletal System - Bony Landmark Palpation

### 15a A&P:

### Skeletal System - Bony Landmark Palpation Class Outline

5 minutes Attendance, Breath of Arrival, and Reminders

10 minutes Lecture: AOI- SCM, Levator Scapula

25 minutes Lecture:

15 minutes Active study skills:

60 minutes Total

## 15a A&P:

# Skeletal System - Bony Landmark Palpation Class Reminders

#### **Assignments:**

■ 17a Review Questions (A: 131-140)

#### **Quizzes and Exams:**

- 17a Quiz
- 18a Kinesiology Quiz (biceps brachii, coracobrachialis, sternocleidomastoid, levator scapula, scalenes, frontalis, occipitalis, temporalis, masseter)
- 19a Quiz
- 21a Exam

#### **Preparation for upcoming classes:**

- 16a A&P: Skeletal System Synovial Joints
  - Trail Guide: scalenes
  - Salvo: Pages 418-427
  - Packet E: 21-24
  - RQ Packet A-138
- 16b Swedish: Technique Demo and Practice Neck, Face, and Scalp
  - Packet F: 51-54

#### Classroom Rules

#### **Punctuality -** everybody's time is precious


- Be ready to learn at the start of class; we'll have you out of here on time
- Tardiness: arriving late, returning late after breaks, leaving during class, leaving early

#### The following are not allowed:

- Bare feet
- Side talking
- Lying down
- Inappropriate clothing
- Food or drink except water
- Phones that are visible in the classroom, bathrooms, or internship

You will receive one verbal warning, then you'll have to leave the room.

# Sternocleidomastoid Trail Guide, Page 244



Sternocleidomastoid

is located on the lateral and anterior aspects of the neck.

It has a large belly with two heads:

- A flat, clavicular head
- A slender, sternal head

The carotid artery passes deep and medial to the SCM.

The external jugular vein lies superficial to the SCM.

Anterolateral View

### Actions of Sternocleidomastoid




Lateral flexion of the head and neck



Flex the head and neck



Rotation of the head and neck to the opposite



Assist to elevate the ribcage during inhalation

A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck Assist to elevate the ribcage during inhalation

Sternal head:
Top of manubrium

Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck Assist to elevate the ribcage during inhalation

Sternal head:
Top of manubrium

Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

Bilaterally:

Flex the head and neck

Assist to elevate the ribcage during inhalation

Sternal head:

Top of manubrium

Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side
Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck

Assist to elevate the ribcage during inhalation

Sternal head:


Top of manubrium

#### Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck Assist to elevate the ribcage during inhalation


Sternal head:
Top of manubrium

Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck Assist to elevate the ribcage during inhalation


Sternal head:
Top of manubrium

#### Clavicular head:

Medial one-third of the clavicle



Lateral View



A Unilaterally:

Laterally flex the head and neck to the same side

Rotate the head and neck to the opposite side

#### *Bilaterally:*

Flex the head and neck Assist to elevate the ribcage during inhalation


Sternal head:
Top of manubrium

Clavicular head:


Medial one-third of the clavicle



Lateral View



# Levator Scapula Trail Guide, Page 83



Posterior View


**Levator Scapula** is located on the lateral and posterior sides of the neck.

The inferior portion is deep to trapezius, but the superior portion is superficial on the lateral side of the neck.

Its belly is approximately two fingers wide with fibers that naturally twist around themselves.

What actions does the levator scapula perform?

## Actions of Levator Scapula



Scapulothoracic elevation



Scapulothoracic downward rotation



Lateral flexion of the head and neck



Rotation of the head and neck to the same side




Extension of the head and neck

A Unilaterally:

Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View



A Unilaterally:

Elevate the scapula, AKA: scapulothoracic joint


Downwardly rotate the scapula, AKA: S/T joint

Laterally flex the head and neck

Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View




A Unilaterally:

Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck
Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View




A Unilaterally:

Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck

Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View




A Unilaterally:

Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck Rotate the head and neck to the same side

#### Bilaterally:

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View




A Unilaterally:


Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula



Posterior View




A Unilaterally:


Elevate the scapula, AKA: scapulothoracic joint Downwardly rotate the scapula, AKA: S/T joint Laterally flex the head and neck Rotate the head and neck to the same side

#### *Bilaterally:*

- Transverse processes of first through fourth cervical vertebrae
- Medial border of scapula, between superior angle and superior portion of spine of scapula




Posterior View




# 15a A&P:

Skeletal System - Bony Landmark Palpation E-19


**Condyle** Rounded projection that forms a <u>joint</u>.




**Fossa** Shallow <u>depression</u> in a bone.




**Head** Rounded <u>end</u> of a bone. Example: head of the humerus.



**Process** General term for any <u>prominence</u> or prolongation from a bone.




**Tuberosity** Large , rounded rough projection.





### Palpation


### Setting up the room. You'll need:


- A group of three people
- A massage table
- Face cradle with face cradle cover (set aside for now)
- Bolster



















**Anterior View** 























































Anterior View

























- Put the face cradle in
- Flip them over into the prone position
- Adjust the bolster



























Inferior angle Anterior View




## **PSIS**


PosteriorSuperiorIliac Spine

## <u>PIIS</u>

• Posterior Inferior Iliac Spine





**Posterior View** 




Ischial Tuberosity

**Posterior View** 







• Switch and do it again!

## 15a A&P:

Skeletal System - Bony Landmark Palpation