

52a Pathology: Nervous System Class Outline

5 minutes Attendance, Breath of Arrival, and Reminders

30 minutes Quiz

35 minutes Lecture:

60 minutes Total

52a Pathology: Nervous System

Class Reminders

ABMP Exam Coach

- "Access your ABMP account" using instructions on page A-74
- Familiarize yourself with the ABMP Exam Coach "Study Subjects" section
- Preview the preparation assignments for MBLEx Prep classes (74a, 75a, 80a, 81a, 84a, 86a, 87a)

Assignments:

- 53a Internship Review Questions (due before class starts) *turn in hard copy for Tammie to grade not done on Classmarker*
- 55a Review Questions due before class starts

Quizzes and Exams:

- 52a Kinesiology Quiz NOW!!
- 57a Quiz (45a/b, 47a, 48a, 49a, 50a/b, 51a/b, 52a, 54a, 55a, and 56a/b)
- 60a Exam

Preparation for upcoming classes:

- 53a Deep Tissue: Introduction
 - Trail Guide: quadratus lumborum.
 - Packet D: 5-10.
- 53b Deep Tissue: Technique Demo and Practice Posterior Upper Body Packet D: 11-14.
- 56a/b Internship: This class cannot be made up in the make-up room. To schedule a sit-in, please contact the Student Administrator.

Classroom Rules

Punctuality - everybody's time is precious

- Be ready to learn at the start of class; we'll have you out of here on time
- Tardiness: arriving late, returning late after breaks, leaving during class, leaving early

The following are not allowed:

- Bare feet
- Side talking
- Lying down
- Inappropriate clothing
- Food or drink except water
- Phones that are visible in the classroom, bathrooms, or internship


You will receive one verbal warning, then you'll have to leave the room.


52a Pathology: Nervous System

Packet E - 117

Alzheimer disease ALS Huntington disease Peripheral neuropathy


Alzheimer disease Progressive and fatal degenerative disorder. Shrinkage and death of neural brain tissues. Causes memory loss and personality changes.





Amyotrophic Lateral Sclerosis (AKA: ALS or Lou Gehrig disease)

Progressive and fatal degenerative disorder. Destruction of motor neurons in the central and peripheral nervous systems. Causes atrophy of muscles.




Huntington disease Progressive and fatal genetic disorder. Destruction of certain neurons in the brain, leading to changes in motor function, emotional stability, and cognition.


Peripheral neuropathy Damage to peripheral nerves, either singly or in groups, caused by lack of circulation, chemical imbalance, trauma, or other factors.


Damage to autonomic nerves could include problems with digestion, heart rate, breathing, or other issues. Signs and symptoms may include:

- Burning pain or tingling in hands or feet, spreading proximally into limbs and trunk
- Hypersensitivity to touch or reduced sensation
- Muscle twitching, cramps, or atrophy.

Peripheral neuropathy









Dystonia Parkinson disease Tremor

Dystonia Repetitive, predictable, but involuntary muscle contractions in any plane.

 Spasmodic torticollis (AKA: cervical dystonia) Most common form of dystonia. Unilateral contractions of neck rotators, usually sternocleidomastoid.

Parkinson disease Degenerative movement disorder caused by loss of dopamine production in the brain. Symptoms include resting tremor, rigidity, weakness, fatigue, and depression.






Tremor Involuntary and rhythmic oscillations of antagonistic muscle groups in a fixed plane.

Encephalitis
Herpes zoster
Meningitis
Polio
Postpolio syndrome

Encephalitis Infection of the brain – may be viral, bacterial, or fungal. Symptoms range from fever with headaches, drowsiness, irritability, and disordered thought process to stupor, coma, convulsions, and paralysis.



Herpes Zoster Infection of sensory neurons with the varicella zoster virus, causing painful, fluid-filled blisters on all nerve endings of a dermatome. Causes chicken pox first, and sometimes *shingles* later.




Meningitis Infection causing inflammation of the meninges, mostly the pia mater. Symptoms include rapid onset of high fever and chills, rash, extreme headache, among others.

Polio Viral infection first of the intestines, then of the motor neurons of the anterior horn, where they leave the spinal cord, leading to atrophy and paralysis of muscles.

Postpolio syndrome Group of symptoms suffered by survivors of polio.

Progressive muscular weakness develops 10-40 years after initial

infection.



Bell palsy

Complex regional pain syndrome

Spinal cord injury

Stroke

TBI

Trigeminal neuralgia


Bell palsy Flaccid paralysis of one side of the face, caused by inflammation of the Facial nerve (Cranial Nerve VII).






Complex regional pain syndrome Chronic, progressive condition. An initial trauma causes pain that is more severe and self-sustaining than is reasonable to expect, usually to the distal part of an arm or leg.

Spinal cord injury Damage to some or all of the spinal cord fibers, caused by trauma, tumors, or bony growths. May cause loss of sensory and/or motor functions (temporary to permanent) - specifics of resulting conditions depend on location and severity of injury.




Stroke (AKA: cerebrovascular accident, or brain attack) Damage to brain tissue due to oxygen deprivation. Caused by blockage in blood flow or by an internal hemorrhage. Results in temporary or permanent loss of sensory and/or motor function.





Traumatic brain injury (AKA: TBI) Brain damage caused by trauma.

Trigeminal neuralgia (AKA: tic douloureaux) Sharp, stabbing pain in the lower face or jaw due to irritation of the Trigeminal nerve (Cranial Nerve V).




Nervous System Birth Defects


Spina bifida


Cerebral palsy

Nervous System Birth Defects

Spina bifida Neural tube defect, which results in an incompletely formed vertebral arch, damage to the meninges and/or spinal cord, and a high risk of distal paralysis and infection.







Nervous System Birth Defects

Cerebral palsy Collective term for CNS injuries that may occur prenatal, at birth, or in early infancy, resulting in motor impairment possibly leading to sensory and cognitive problems.



Fibromyalgia

Meniere disease


Epilepsy

Sleep disorders

Vestibular balance disorder


Fibromyalgia Chronic pain syndrome. Neuroendocrine disruption, sleep disorders, predictable patterns of tender points in muscles and other soft





Meniere disease Idiopathic condition affecting the inner ear, causing vertigo, tinnitus, and hearing loss.

Epilepsy Seizure disorder involving 2 or more seizures in a 24 hour period. A seizure is uncoordinated neuronal activity in the brain that allows electrical activities to become increasingly extreme, sometimes to the point of collapse or loss of consciousness.



Sleep disorders Collection of problems that make it difficult to get enough sleep or to wake up feeling rested and refreshed. They include insomnia, sleep apnea, restless leg syndrome, narcolepsy, and circadian rhythm disruption.

Vestibular balance disorder Group of conditions (infection, inflammation, or tiny calcium deposits) that can cause malfunction of the vestibular branch of the Vestibulocochlear nerve (Cranial Nerve VIII), causing vertigo, dizziness, lightheadedness, blurred vision, nausea and GI upset.

